PAGE 1

MANIFACTURE INFORMATION

EMERGENCY PHONE.....: 800-255-3924 PREPARATION/REVISION DATE: 09/01/98

TRADE NAME/SYNONYMS...: FABULUSTRE 1/4 LB TUBE

CHEMICAL NAME/SYNONYMS: BUFFING COMPOUND

CHEMICAL FAMILY....:

FORMULA....: MIXTURE PRODUCT CODE....: 72-822

************************** HAZARDOUS INGREDIENTS *******************

DOES PRODUCT CONTAIN HAZARDOUS INGREDIENTS? (Y,N,N/A,N/I) : Y

CHEMICAL/COMMON NAME CAS-NUMBER % PEL-OSHA TLV-ACGIH

ALUMINUM OXIDE 1344-28-1 10.5MGM3

STEARIC ACID (FATTY ACID) 57-11-4

DOES PRODUCT CONTAIN CARCINOGENS (NTP, IARC, OR OSHA)? (Y,N,N/A,N/I): N

HEALTH EFFECTS (ACUTE AND CHRONIC)

ACUTE: COUGHING AND/OR SNEEZING IF DUST IS GENERATED DURING USE. OVER EXPOSURE MAY CAUSE TEMPORARY IRRITATION OF EYES, EARS, NOSE, AND RESPIRATORY TRACT. POSSIBLE SKIN OR EYE IRRITANT.

PRIMARY ROUTES OF ENTRY INHALATION, INGESTION, SKIN.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE UPPER RESPIRATORY AILMENTS

EMERGENCY FIRST AID PROCEDURES

INHALATION: REMOVE TO FRESH AIR.SKIN AND EYES: FLUSH WITH WATER FOR 15 MINUTE INCLUDING UNDER EYELIDS. INGESTION: SEEK IMMEDIATE MEDICAL ATTENTION.

BOILING POINT(F)... 205 C SPECIFIC GRAVITY(WATER=1)...... 1.00

VAPOR PRESSURE(MMHG) <1MBAR PERCENT VOLATILE BY VOLUME(%)..... N/A

VAPOR DENSITY(AIR=1) N/A EVAP RATE(N/A =1) N/A

SOLUBILITY IN WATER.. INSOLUBLE

APPEARANCE AND ODOR INFORMATION
WHITE COLORED COMPOUND WITH WAXY ODOR

FLASH POINT (METHOD USED) 520 FCOC FLAMMABLE LIMITS-LEL= N/A UEL= N/A

EXTINGUISHING MEDIA
CO2, DRY CHEMICAL, FOAM, WATER FOG

SPECIAL FIRE FIGHTING PROCEDURES
WEAR PROPER PERSONAL PROTECTION AND SELF CONTAINED BREATHING APPARATUS. TOXIC
VAPORS AMY BE RELEASED UNDER FIRE CONDITIONS.

UNUSUAL FIRE AND EXPLOSION HAZARDS NO APPLICABLE INFORMATION FOUND.

INCOMPATIBILITY (MATERIALS TO AVOID)
NO APPLICABLE INFORMATION FOUND.

HAZARDOUS DECOMPOSITION PRODUCTS

IF INCOMPLETE COMBUSTION OCCURS, CARBON MONOXIDE WILL FORM.

WILL HAZARDOUS POLYMERIZATION OCCUR NO

CONDITIONS TO AVOID/POLYMERIZATION NO APPLICABLE INFORMATION FOUND.

IS THE PRODUCT STABLE YES

CONDITIONS TO AVOID/STABILITY
KEEP AWAY FROM HEAT AND SOURCES OF IGNITION.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED USE SUITABLE MEANS TO MINIMIZE GENERATING DUST.(IE. VACUUM) DRY SWEEPING IS NOT RECOMMENDED.

PAGE 3

WASTE DISPOSAL METHOD

IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

****************** EXPOSURE CONTROL INFORMATION ******************

VENTILATION

LOCAL EXHAUST TO MEET 10.0MG/M3 MECHANICAL (GEN) DUST COLLECTOR SPECIAL..... N/A OTHER...... N/A

RESPIRATORY PROTECTION

NIOSH/MSHA APPROVED DUST RESPIRATOR ADEQUATE TO REDUCE EXPOSURE 10.5 MG/M3

PROTECTIVE GLOVES

ADEQUATE TO PREVENT SKIN CONTACT

OTHER PROTECTIVE EQUIPMENT

SAFETY GOGGLES.AND EQUIPMENT ADEQUATE TO PROTECT CLOTHING.

OTHER ENGINEERING CONTROLS

N/A

WORK PRACTICES

SEE HYGENIC PRACTICES

HYGENIC PRACTICES

AFTER HANDLING PRODUCT, WASH THOROUGHLY WITH SOAP AND WATER. FOLLOW ESTABLISH ED SAFETY POLICIES.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

STORE AT ROOM TEMPERATURE. DO NOT STORE NEAR EXCESSIVE HEAT OR OPEN FLAME.

MAINTENANCE PRECAUTIONS

N/A

OTHER PRECAUTIONS

N/A

OTHER COMMENTS

THE INFORMATION HEREIN, IS GIVEN IN GOOD FAITH, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE.